

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S42	1	"6584099"	USPAT	OR	OFF	2004/08/21 21:16
S41	146	(pipeline\$3 (sequential\$2 sequenc\$3) near4 (process\$3)) with header\$1 and "370"/\$.ccls. and (@rlad<="20000214" @ad<="20000214") and header\$1 near7 (queue\$3 buffer\$3 memor\$3 fifo)	USPAT	OR	OFF	2004/08/21 18:39
S38	3	708/233.ccls. and packet\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/21 18:35
S37	45	(pipelin\$3 sequential\$2) near4 processing same switch\$3 same packet\$1 and "370"/\$.ccls. and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/21 18:06
S36	79	(pipelin\$3 sequential\$2) near4 processing same switch\$3 same packet\$1 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/21 17:55
S35	114	sequential\$2 near5 switch\$3 near5 packet\$1 and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/21 17:52
S34	4	piplin\$3 same pointer\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/21 17:50
S33	29	output adj (buffers queues fifos) and class adj service same (buffer\$1 queue\$1 fifo\$1) and (@rlad<="20000214" @ad<="20000214") and (buffer\$1 queue\$1 fifo\$1) near8 (length\$1 siz\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 22:50
S32	30	output adj queues and class adj service same queue\$1 and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 20:14
S31	46	output adj queues and class adj service same queue\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 20:13
S30	11	piplin\$3 and packet\$1 and pointer\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 20:12
S29	4	piplin\$3 same pointer\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/08/21 17:49
S28	1	"20020146009"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 20:09

S27	1	"20010053148"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 20:08
S26	7	("5434863"   "5602841"   "5764895"   "5884040"   "5920566"   "6032190"   "6308218").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/21 20:05
S25	1	"6650642"	US-PGPUB; USPAT	OR	OFF	2004/03/21 20:03
S24	25	"5938736"	US-PGPUB; USPAT	OR	OFF	2004/03/21 20:03
S23	0	"6650642".pn. and (chang\$3 new modify\$3) with header\$1	US-PGPUB; USPAT	OR	OFF	2004/03/21 19:58
S22	1	"5938736".pn. and (chang\$3 new modify\$3) with header\$1	US-PGPUB; USPAT	OR	OFF	2004/03/21 19:44
S21	3	"laor, michael".in. "epps, garry".in.	US-PGPUB; USPAT	OR	OFF	2004/03/21 17:41
S20	2	"6424649".pn. "6147996".pn.	US-PGPUB; USPAT	OR	OFF	2004/03/21 17:27
S18	0	"6424649".pn. and "6147996".pn.	US-PGPUB; USPAT	OR	OFF	2004/03/21 17:26
S17	22	(join\$3 merge\$3) with header\$1 and modif\$3 with header\$1 and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:56
S16	5	(join\$3) with header\$1 and modif\$3 with header\$1 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:55
S15	0	merge\$3 with ehader\$1 and modif\$3 with header\$1 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:55
S14	0	join\$3 with ehader\$1 and modif\$3 with header\$1 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:55
S13	2	join\$3 with modif\$3 with header\$1 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:55
S12	27	stages same header\$1 and 370/392. ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:51
S9	45	pipelin\$3 with switch\$3 same header\$1	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:41
S7	58	370/392.ccls. and pipeline	US-PGPUB; USPAT	OR	OFF	2003/12/10 17:40
S5	13	pipelin\$3 adj switch\$1.ab,ti,bsum. and (@ad<="20000214" @rlad<="20000214")	US-PGPUB; USPAT	OR	OFF	2003/12/10 17:19
S4	18	pipelin\$3 same header\$1 and 370/392.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/10 17:17
S3	136	pipelin\$3 same header\$1 and "370"/\$. ccls. and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT	OR	OFF	2003/12/10 17:10
S1	4	pipelin\$3 adj switch\$3 same header\$1	US-PGPUB; USPAT	OR	OFF	2003/12/10 18:35

L12	2	"370"/\$.ccls. and (buffer\$1 queue\$1) with average adj depth with congestion and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT	OR	OFF	2004/08/23 06:06
L11	5	"370"/\$.ccls. and (dynamic variable size\$!) with (sub-queues subqueues) and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT	OR	OFF	2004/08/23 06:06
L10	2	"370"/\$.ccls. and input adj (queue\$3 memory buffer\$1) with (sub-queues subqueues) and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT	OR	OFF	2004/08/23 05:54
L9	121	"370"/\$.ccls. and input adj (queue\$3 memory buffer\$1) with size\$1 and (@rlad<="20000214" @ad<="20000214")	US-PGPUB; USPAT	OR	OFF	2004/08/23 05:53
L7	1	"370"/\$.ccls. and input adj buffer with sizes	US-PGPUB; USPAT	OR	OFF	2004/08/23 05:52